



### TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

**DSCC Annual Tire Conference** 

**CATL UPDATE** 

March 25, 2010

UNCLASSIFIED: Dist A. Approved for public release

| maintaining the data needed, and including suggestions for reducin | completing and reviewing the colle<br>g this burden, to Washington Head<br>ould be aware that notwithstanding | ction of information. Send commen<br>quarters Services, Directorate for In- | ts regarding this burden estimation Operations and Rep | ate or any other aspect<br>orts, 1215 Jefferson Da | vis Highway, Suite 1204, Arlington |  |
|--|---|---|--|--|------------------------------------|--|
| 1. REPORT DATE 25 MAR 2010   |   |   | 3. DATES COVERED -                                     |  |                                    |  |
| 4. TITLE AND SUBTITLE  |   |   |  | 5a. CONTRACT                                       | NUMBER                             |  |
| CATL UPDATE  |   |   |  | 5b. GRANT NUM                                      | MBER                               |  |
|  |   |   |  | 5c. PROGRAM E                                      | ELEMENT NUMBER                     |  |
| 6. AUTHOR(S)   |   |   |  | 5d. PROJECT NU                                     | JMBER                              |  |
| Richard Vinkovic   | n   |   |  | 5e. TASK NUME                                      | BER                                |  |
|  |   |   |  | 5f. WORK UNIT                                      | NUMBER                             |  |
|  | IZATION NAME(S) AND A M-TARDEC 6501   | en, MI  | 8. PERFORMING ORGANIZATION REPORT NUMBER 20567RC       |  |                                    |  |
| 9. SPONSORING/MONITO   | DRING AGENCY NAME(S)  | AND ADDRESS(ES)   |  | 10. SPONSOR/MONITOR'S ACRONYM(S)  TACOM/TARDEC     |                                    |  |
|  |   |   | 11. SPONSOR/MONITOR'S REPORT NUMBER(S) 20567RC         |  |                                    |  |
| 12. DISTRIBUTION/AVAI<br>Approved for pub                          | LABILITY STATEMENT<br>lic release, distribut  | ion unlimited   |  |  |                                    |  |
|  | OTES nse Supply Center ( contains color image   | , ,   | Annual Tire Con  | ference, 25 N                                      | Aarch 2010, The                    |  |
| 14. ABSTRACT   |   |   |  |  |                                    |  |
| 15. SUBJECT TERMS  |   |   |  |  |                                    |  |
| 16. SECURITY CLASSIFICATION OF: 17. LI                             |   |   |  | 18. NUMBER<br>OF PAGES                             | 19a. NAME OF                       |  |
| a. REPORT<br>unclassified  | b. ABSTRACT <b>unclassified</b>   | 26  | RESPONSIBLE PERSON                                     |  |                                    |  |

**Report Documentation Page** 

Form Approved OMB No. 0704-0188





### **AGENDA**

- 2010 CATL 1922 TESTS
- 2011 CATL 1922 TESTS
- 2010 CATL 1923 TESTS
- CATL 1922 TEST TIRE SPECIFICATION
- **TEST LABS**
- CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 – PRESENT)
- CATL 1923 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 - PRESENT)

\*UNCLASSIFIED\*

<sup>\*\*</sup>Disclaimer: Reference herein to any specific commercial company, product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Department of the Army (DoA). TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



### 2010 CATL 1922 Qualification Test Matrix



### **2010 CATL 1922 TESTS**

| Company  | Group | Expiration Date | Test Reference         |
|--|-------|-----------------|------------------------|
|  | '     |                 |                        |
| Bridgestone/Firestone (USA) Inc.                     | 1     | 28-Oct-10       | ACTS-CATL-T1-1/98-051  |
| Bridgestone/Firestone (USA) Inc.                     | 3     | 12-Jan-10       | ACTS-CATL-T1-1/98-009  |
| Continental Tire North America                       | 1     | 1-Aug-10        | ACTS-CATL-T1-1//98-021 |
| Continental Tire North America                       | 3     | 15-Dec-10       | ACTS-CATL-T1-1/98-029  |
| Cooper Tire & Rubber Company                         | 3     | 6-May-10        | ACTS-CATL-T1-1/98-018  |
| The Goodyear Tire & Rubber Company                   | 3     | 26-Mar-10       | ACTS-CATL-T1-1/98-017  |
| Goodyear Brands (STEEL/STEEL CONSTRUCTION):          | 2     | 26-Jan-10       | ACTS-CATL-T1-1/98-031  |
| Kelly-Springfield Brands (MANUFACTURED BY GOODYEAR): | 3     | 28 JUL 10.      | ACTS-CATL-T1-1/98-025  |
| Michelin North America                               | 1     | 7-Jan-10        | ACST-CATL-T1-1/98-046  |
| Michelin North America                               | 2     | 15-Jul-10       | ACTS-CATL-T1-1/98-024  |
| Goodrich   | 1     | 1-Aug-10        | ACTS-CATL-T1-1/98-014  |
| Goodrich   | 2     | 22-Nov-10       | ACTS-CATL-T1-1/98-030  |
| Uniroyal   | 2     | 20-Oct-10       | ACTS-CATL-T1-1/98-027  |
| BANDAG INCORPORATED                                  | 3     | 21-Sep-10       | ACTS-CATL-T1-1/98-026  |
| OLIVER RETREADS                                      | 3     | 15-May-10       | ACTS-CATL-T1-1/98-016  |
| BRIDGESTONE/FIRESTONE (USA) INCORPORATED             | ORSA  | 1-Sep-10        | FCA-ORSA-1             |
| CONTINENTAL TIRE NORTH AMERICA                       | ORSA  | 1-Sep-10        | FCA-ORSA-1-94          |
| THE GOODYEAR TIRE & RUBBER COMPANY                   | ORSA  | 1-Sep-10        | FCA-ORSA-2-95          |



# 2011 CATL 1922 Qualification Test Matrix



#### **2011 CATL 1922 TESTS**

| Company                                   | Group | Expiration Date | Test Reference               |
|---|-------|-----------------|------------------------------|
| Cooper Tire & Rubber Company              | 1     | 27-Jan-11       | ACTS-CATL-T1-1/98-053        |
| Continental Tire NA                       | 2     | 31-Aug-11       | ACTS-CATL-T1-1/98-063        |
| Goodyear Tire & Rubber Company            | 2     | 17-Jul-11       | ACTS-CATL-T1-1/98-047        |
| Kelly Springfield                         | 2     | 25-Feb-11       | ACTS-CATL-T1-1/98-054        |
| Specialty Tires of America                | 2     | 28-Jan-11       | ACTS-CATL-T1-1/98-037        |
| Bandaq (Retread)                          | 2     | 11-Nov-11       | ACTS-CATL-T1-065             |
| Bandamatic (Retread)                      | 2     | 11-Aug-11       | ACTS-CATL-T1-066             |
| Michelin NA Retread Process (Retread)     | 2     | 7-Jan-11        | ACTS-CATL-T1-1/98-045        |
| Specialty Tires of America                | 3     | 30-Mar-11       | ACTS-CATL-T1-1/98-039        |
| Bandamatic (Retread)                      | 3     | 16-Jan-11       | ACTS-CATL-T1-1/98-038        |
| Goodyear Precure Method (Retread)         | 3     | 25-Oct-11       | ACTS-CATL-T1-1/98-048        |
| Goodyear Ultima Precure Method (Retread)  | 3     | 25-Oct-11       | ACTS-CATL-T1-1/98-044 and 48 |
| Michelin NA Precure (Retread)             | 3     | 7-Jan-11        | ACTS-CATL-T1-1/98-045        |
| Michelin NA Mold Cure Process (Retread)   | 3     | 7-Jan-11        | ACTS-CATL-T1-1/98-045        |
| Oliver Mold Cure Retread Method (Retread) | 3     | 16-Jan-11       | ACTS-CATL-T1-1/98-034        |



# RDECOM 2010 CATL 1923 Test Matrix



#### **2010 CATL 1923 TESTS**

| CATL 1923 | Company                             | Group | Expiration Date | Test Reference |
|-----------|-------------------------------------|-------|-----------------|----------------|
|           | Bridgestone/Firestone (USA)<br>Inc. | 1     | 30 JULY, 2010   | GSA QPL-1083-3 |
|           | Bridgestone/Firestone (USA)<br>Inc. | 2     | 30 JULY, 2010   | GSA QPL-1083-3 |
|           | Bridgestone/Firestone (USA)<br>Inc. | 3     | 30 JULY, 2010   | GSA QPL-1083-3 |



### **CATL 1922 TEST TIRES**



#### CATL 1922 TIRE TEST SIZES AND TIRE PRESSURES

- Group 1 P225/70R15 (SL) or P205/70R15 (SL) Test Pressure: 35 PSI
- Group 2 LT235/85R16 L/R E Test Pressure: 65 PSI
- Group 2 7.50-16 LT L/R D Test Pressure: 65 PSI
- Group 3 11R22.5 L/R G Test Pressure: 105 PSI
- Group 3 10.00-20 L/R G Test Pressure: 100 PSI
- ORSA 16" tires LT (L/R D or L/R C, E upon request)

Test Pressure: 45 PSI



### QUALIFIED CATL TEST FACILITIES



#### **US Army TARDEC Qualified CATL Test Facilities**

#### **CATL 1922**

- Aberdeen Proving Grounds Greg Schultz <u>gregory.schultz@atc.army.mil</u> 410-278-5201
- Aberdeen Proving Grounds Fred Scriba frederick.scriba@atc.army.mil 410-278-5201
- Nevada Automotive Test Center Brett Horacheck BHorachek@natc-ht.com 775-629-2000
- Nevada Automotive Test Center Shirley Parnell SParnell@natc-ht.com 775-629-2000
- Standards Testing Laboratories (20,000 mile Treadwear Test Only) Guy Edington gedington@stllabs.com 330-833-8548
- Yuma Proving Grounds Al Conde al.conde@us.army.mil 928-328-2362/2538
- Yuma Proving Grounds Brendan King <u>Brendan.King@us.army.mil</u> 928-328-2362/2538

#### **CATL 1923**

- Standards Testing Laboratories Guy Edington @edington@stllabs.com 330-833-8548
- Akron Rubber Development Laboratory Edwin Goyzueta <u>EDWIN\_GOYZUETA@ARDL.COM</u> 330-794-6623, EXT 18
- Smithers Scientific Services, Inc. Mike Bair <u>mbair@smithersmail.com</u> 330/762-7441





\*UNCLASSIFIED\*

### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

#### **CONTINENTAL CATL 1922 (Deletions)**

| MODEL/BRAND Continental PremierContact | TIRE<br>GROUP<br>1 | CLASS & CODE(S)<br>a/s, m/s (rib) PSN,<br>AP | GOVERNM'T ITEM<br>NO.<br>X1.5.27 | <b>TEST REF. NO.</b> ACTS-CATL-T1- 1//98-021 |
|--|--------------------|--|----------------------------------|--|
| General XP 2000 GT                     | 1                  | a/s (rib) PS, AP                             | X1.5.20                          | ACTS-CATL-T1-<br>1//98-021                   |
| General Ameri G4S                      | 1                  | a/s, m/s (rib) PS,<br>AP                     | X1.5.23                          | ACTS-CATL-T1-<br>1//98-021                   |
| General XP 2000 AS                     | 1                  | a/s, m/s (rib) PS,<br>AP                     | X1.5.47                          | ACTS-CATL-T1-<br>1//98-021                   |
| General XP 2000 II                     | 1                  | a/s, m/s (rib) PS,<br>AP                     | X1.5.48                          | ACTS-CATL-T1-<br>1//98-021                   |
| General Exclaim                        | 1                  | a/s, m/s (rib) PSN,<br>AP                    | X1.5 .41                         | ACTS-CATL-T1-<br>1//98-021                   |





#### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

# **COOPER TIRE CATL 1922** (PEHS Additions)

|                                 |       |                   | GOVERNM'T |                        |
|---------------------------------|-------|-------------------|-----------|------------------------|
| MODEL/BRAND                     | CLASS | CODES             | ITEM NO.  | <b>QUALIFIED SIZES</b> |
| Cooper CS4 Touring              | a/s   | AP,PSN,PEHS, SR-V | X1.3.100P | 225/60R16 98V          |
|                                 |       |                   |           | 235/55R17 99V          |
|                                 |       |                   |           | 225/60R18 100V         |
| Cooper Zeon Sport A/S           | a/s   | AP,PSN,PEHS, SR-W | X1.3.101P | 245/45R17 95W          |
|                                 |       |                   |           | 245/50R16 97W          |
|                                 |       |                   |           | 235/55R17 99W          |
| Mastercraft Avenger Touring LSR | a/s   | AP,PSN,PEHS, SR-V | X1.3.102P | 225/60R16 98V          |
|                                 |       |                   |           | 235/55R17 99V          |
|                                 |       |                   |           | 225/60R18 100V         |
| Big O Euro Tour (V)             | a/s   | AP,PSN,PEHS, SR-V | X1.3.103P | 225/60R16 98V          |
| Hercules Ultra Touring VR       | a/s   | AP,PSN,PEHS, SR-V | X1.3.104P | 225/60R16 98V          |
| Pep Boys Futura Touring VR      | a/s   | AP,PSN,PEHS, SR-V | X1.3.105P | 225/60R16 98V          |
| Delta Esteem Touring VR         | a/s   | AP,PSN,PEHS, SR-V | X1.3.106P | 225/60R16 98V          |
| National Ovation Touring VR     | a/s   | AP,PSN,PEHS, SR-V | X1.3.107P | 225/60R16 98V          |
|                                 |       |                   |           | 9                      |





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

Bridgestone CATL (Additions)

| MODEL/BRAND             | TIRE<br>GROUP | CLASS & CODE(S) | GOVERNMENT<br>ITEM NO. | TEST REFERENCE NO.    |
|-------------------------|---------------|-----------------|------------------------|-----------------------|
| R287                    | 3             | r/t, AP, SS     | X3.2.63 RA/RB          | ACTS-CATL-T1-1/98-009 |
| R280                    | 3             | r/t, AP, SS     | X3.2.64 RA/RB          | ACTS-CATL-T1-1/98-009 |
| R260                    | 3             | r/t, AP, SS     | X3.2.65 RA/RB          | ACTS-CATL-T1-1/98-009 |
| GREATEC Drive & Trailer | 3             | r/t, AP, SS     | X3.2.66 RA/RB          | ACTS-CATL-T1-1/98-009 |
| M725                    | 3             | d/a, DA, SS     | X3.2.67 RA/RB          | ACTS-CATL-T1-1/98-009 |
| M729                    | 3             | d/a, DA, SS     | X3.2.68 RA/RB          | ACTS-CATL-T1-1/98-009 |
| M860                    | 3             | o/o, AP, SS     | X3.2.69 RA/RB          | ACTS-CATL-T1-1/98-009 |
| M850                    | 3             | o/o, AP, SS     | X3.2.70 RA/RB          | ACTS-CATL-T1-1/98-009 |
| L305                    | 3             | o/o, DA, SS     | X3.2.71 RA/RB          | ACTS-CATL-T1-1/98-009 |
| L320                    | 3             | o/o, DA, SS     | X3.2.72 RA/RB          | ACTS-CATL-T1-1/98-009 |
| M775                    | 3             | o/o, DA, SS     | X3.2.73 RA/RB          | ACTS-CATL-T1-1/98-009 |
| L315                    | 3             | o/o, DA, SS     | X3.2.74 RA/RB          | ACTS-CATL-T1-1/98-009 |
| R192                    | 3             | d/a, DA, SS     | X3.2.75 RA/RB          | ACTS-CATL-T1-1/98-009 |





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

Bridgestone CATL (Deletions)

| MODEL/BRAND NAME BY<br>BRAND OWNER | TIRE<br>GROUP | CLASS & CODE(S) | GOVERNMENT<br>ITEM NO. | TEST REFERENCE NO.       |
|------------------------------------|---------------|-----------------|------------------------|--------------------------|
| R293                               | 3             | r/t AP, SS      | X3.2.7RA/RB            | ACTS-CATL-T1-1/98-009    |
| R294                               | 3             | r/t AP, SS, LP  | X3.2.8RA/RB            | ACTS-CATL-T1-1/98-009    |
| R299                               | 3             | r/t AP, SS, LP  | X3.2.9RA/RB            | ACTS-CATL-T1-1/98-009    |
| M716                               | 3             | d/a DA, SS, STC | X3.2.11RA/RB           | ACTS-CATL-T1-1/98-009    |
| R226                               | 3             | r/t AP, SS      | X3.2.16RA/RB           | ACTS-CATL-T1-1/98-009    |
| M925                               | 3             | a/t DA, SS      | X3.2.61RA/RB           | ACTS-CATL-T1-1/98-009    |
| R270                               | 3             | a/s AP, SS, LP  | X.3.2.52RA/RB          | ACTS-CATL-T1-1/98-009    |
| R296                               | 3             | o/o AP, SS      | X.3.2.53RA/RB          | ACTS-CATL-T1-1/98-009    |
| M774                               | 3             | o/o DA, SS      | X3.2.24RA/RB           | ACTS-CATL-T1-1/98-009 11 |





12

### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

| <b>Bridgestone CATL</b> | (Additions) |
|-------------------------|-------------|
|-------------------------|-------------|

| MODEL/BRAND NAME BY<br>BRAND OWNER | TIRE<br>GROUP | CLASS & CODE(S) | GOVERNMENT<br>ITEM NO. | TEST REFERENCE NO.    |
|------------------------------------|---------------|-----------------|------------------------|-----------------------|
| FS400*                             | 3             | r/t, AP, SS     | X3.2.76 RA/RB          | ACTS-CATL-T1-1/98-009 |
| CTR                                | 3             | r/t, AP, SS     | X3.2.77 RA/RB          | ACTS-CATL-T1-1/98-009 |
| FD690                              | 3             | d/a, DA, SS     | X3.2.78 RA/RB          | ACTS-CATL-T1-1/98-009 |
| FD835                              | 3             | o/o, DA, SS     | X3.2.79 RA/RB          | ACTS-CATL-T1-1/98-009 |

#### Bridgestone CATL (Deletions)

| MODEL/BRAND NAME BY<br>BRAND OWNER | TIRE<br>GROUP | CLASS & CODE(S) | GOVERNMENT<br>ITEM NO. | TEST REFERENCE NO.    |
|------------------------------------|---------------|-----------------|------------------------|-----------------------|
| DRAIND OWNER                       | GROUP         | CLASS & CODE(S) | HEIVINO.               | 1651 REFERENCE NO.    |
| HP3000                             | 3             | r/t AP, SS      | X3.2.31RA/RB           | ACTS-CATL-T1-1/98-009 |
| PSD3000                            | 3             | d/a DA, SS, STC | X3.2.32RA/RB           | ACTS-CATL-T1-1/98-009 |
| UT2000                             | 3             | o/o DA, SS      | X3.2.35RA/RB           | ACTS-CATL-T1-1/98-009 |
| T823                               | 3             | a/t DA, SS      | X3.2.37RA/RB           | ACTS-CATL-T1-1/98-009 |
| HEAVY DUTY TRANSPORT               | 3             | r/t DA, SS      | X3.2.41RA/RB           | ACTS-CATL-T1-1/98-009 |
| TRANSPORT                          | 3             | r/t AP, SS      | X3.2.42RA/RB           | ACTS-CATL-T1-1/98-009 |
| HP2000                             | 3             | r/t AP, SS      | X3.2.43RA/RB           | ACTS-CATL-T1-1/98-009 |
| FS567                              | 3             | r/t AP, SS      | X3.2.50RA/RB           | ACTS-CATL-T1-1/98-009 |





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

| Bridgestone CATL (Additions) |       |                 |               |                       |
|------------------------------|-------|-----------------|---------------|-----------------------|
| MODEL/BRAND NAME BY          | TIRE  |                 | GOVERNMENT    |                       |
| BRAND OWNER                  | GROUP | CLASS & CODE(S) | ITEM NO.      | TEST REFERENCE NO.    |
| Dueler A/T 695               | 2     | A/T, AP         | X.2.2.42RA/RB | ACTS-CATL-T1-1/98-050 |
| Dueler A/T RH-S              | 2     | A/T, AP         | X.2.2.43RA/RB | ACTS-CATL-T1-1/98-050 |
| Dueler A/T Revo              | 2     | A/T, AP         | X.2.2.44RA/RB | ACTS-CATL-T1-1/98-050 |
| Duravis M700                 | 2     | A/T, AP         | X.2.2.45RA/RB | ACTS-CATL-T1-1/98-050 |
| Duravis M724                 | 2     | A/T, AP         | X.2.2.46RA/RB | ACTS-CATL-T1-1/98-050 |
| Duravis M779                 | 2     | A/T, AP         | X.2.2.48RA/RB | ACTS-CATL-T1-1/98-050 |
| Dueler H/L Alenza            | 2     | A/T, AP         | X.2.2.54RA/RB | ACTS-CATL-T1-1/98-050 |
| Blizzak LM-25                | 2     | s/t, STC, PS    | X.2.2.55RA/RB | ACTS-CATL-T1-1/98-050 |
| Blizzak LM-60                | 2     | s/t, STC, PS    | X.2.2.56RA/RB | ACTS-CATL-T1-1/98-050 |
| Blizzak W965                 | 2     | s/t, STC, PS    | X.2.2.57RA/RB | ACTS-CATL-T1-1/98-050 |
| Winter Dueler DMZ2           | 2     | s/t, STC, PS    | X.2.2.58RA/RB | ACTS-CATL-T1-1/98-050 |





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

| Dil (DATI (DIL)              |       |                  |               |                         |
|------------------------------|-------|------------------|---------------|-------------------------|
| Bridgestone CATL (Deletions) | TIDE  |                  | COVEDNIMENT   |                         |
| MODEL/BRAND NAME BY          | TIRE  | 01 400 4 0005(0) | GOVERNMENT    | TEOT DEFENDENCE NO      |
| BRAND OWNER                  | GROUP | CLASS & CODE(S)  | ITEM NO.      | TEST REFERENCE NO.      |
| VSX                          | 2     | d/a SS,PS,AP     | X2.2.2RA      | ACTS-CATL-T1-1/98-050   |
| R220                         | 2     | r/t, SS, AP      | X2.2.4RA      | ACTS-CATL-T1-1/98-050   |
| R230                         | 2     | r/t, AP, PS      | X2.2.5RA/RB   | ACTS-CATL-T1-1/98-050   |
| D661                         | 2     | a/t, AP,PS, STC  | X2.2.7RA/RB   | ACTS-CATL-T1-1/98-050   |
| 604V                         | 2     | a/t, AP, PS, STC | X2.2.8RA/RB   | ACTS-CATL-T1-1/98-050   |
| 610V                         | 2     | a/t, AP,PS,STC   | X2.2.9RA/RB   | ACTS-CATL-T1-1/98-050   |
| D682                         | 2     | a/s, AP, PS      | X2.2.10RA/RB  | ACTS-CATL-T1-1/98-050   |
| 613V                         | 2     | r/t, AP, PS      | X2.2.11RA/RB  | ACTS-CATL-T1-1/98-050   |
| 603V                         | 2     | r/t, AP, PS      | X2.2.12RA/RB  | ACTS-CATL-T1-1/98-050   |
| R273                         | 2     | r/t, AP, PS      | X2.2.13RA/RB  | ACTS-CATL-T1-1/98-050   |
| Dueler HTS                   | 2     | r/t, AP, PS      | X2.2.20RA/RB  | ACTS-CATL-T1-1/98-050   |
| Desert Dueler D684           | 2     | r/t, AP, PS      | X2.2.22RA/RB  | ACTS-CATL-T1-1/98-050   |
| Firestone CATL (Additions)   |       |                  |               |                         |
| MODEL/BRAND NAME BY          | TIRE  |                  | GOVERNMENT    |                         |
| BRAND OWNER                  | GROUP | CLASS & CODE(S)  | ITEM NO.      | TEST REFERENCE NO.      |
| Destination A/T              | 2     | A/T, AP, PS      | X.2.2.59RA/RB | ACTS-CATL-T1-1/98-050   |
| Destination LE               | 2     | R/T, AP, PS      | X.2.2.60RA/RB | ACTS-CATL-T1-1/98-050   |
| Transforce HT                | 2     | R/T, AP, PS      | X.2.2.61RA/RB | ACTS-CATL-T1-1/98-05014 |





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

| Bridgestone CATL (Deletions) |       |                  |              |                       |
|------------------------------|-------|------------------|--------------|-----------------------|
| MODEL/BRAND NAME BY          | TIRE  |                  | GOVERNMENT   |                       |
| BRAND OWNER                  | GROUP | CLASS & CODE(S)  | ITEM NO.     | TEST REFERENCE NO.    |
| Transport 110                | 2     | r/t, AP, N       | X2.2.19RA/BB | ACTS-CATL-T1-1/98-050 |
| Transport 1 Wide Oval        | 2     | r/t, AP, N       | X2.2.20BA/BB | ACTS-CATL-T1-1/98-050 |
| Town and Country             | 2     | o/o, AP, N       | X2.2.21BA/BB | ACTS-CATL-T1-1/98-050 |
| Steelex Radial 23 Degree     | 2     | a/t, AP, PS      | X2.2.24RA/RB | ACTS-CATL-T1-1/98-050 |
| Steelex Radial R4S           | 2     | a/s, r/t, AP, PS | X2.2.25RA/RB | ACTS-CATL-T1-1/98-050 |
| FireHawk ATX                 | 2     | a/s, AP, PS      | X2.2.27RA/RB | ACTS-CATL-T1-1/98-050 |

| Bridgestone CATL (Additions) |       |                 |               |                          |
|------------------------------|-------|-----------------|---------------|--------------------------|
| MODEL/BRAND NAME BY          | TIRE  |                 | GOVERNMENT    |                          |
| BRAND OWNER                  | GROUP | CLASS & CODE(S) | ITEM NO.      | TEST REFERENCE NO.       |
| Blizzak DM-V1                | 1     | s/t, STC, PS    | X1.2.56       | ACTS-CATL-T1-1/98-051    |
| Blizzak LM-18                | 1     | s/t, STC, PS    | X1.2.57       | ACTS-CATL-T1-1/98-051    |
| Blizzak LM-22                | 1     | s/t, STC, PS    | X1.2.58       | ACTS-CATL-T1-1/98-051    |
| Blizzak WS60                 | 1     | s/t, STC, PS    | X1.2.59       | ACTS-CATL-T1-1/98-051    |
| ECOPIA EP20                  | 1     | a/s, a/p, PSN   | X1.2.60       | ACTS-CATL-T1-1/98-051    |
| Turanza EL 400               | 1     | a/s, a/p, PSN   | X1.2.61       | ACTS-CATL-T1-1/98-051    |
| G019 Grid                    | 1     | a/s, a/p, PSN   | X1.2.62       | ACTS-CATL-T1-1/98-051    |
| B340                         | 1     | a/s, a/p, PSN   | X1.2.63       | ACTS-CATL-T1-1/98-051    |
| ECOPIA EP100                 | 1     | a/s, a/p, PSN   | X1.2.64       | ACTS-CATL-T1-1/98-051    |
| B381                         | 1     | a/s, a/p, PSN   | X1.2.65       | ACTS-CATL-T1-1/98-051    |
| B450                         | 1     | a/s, a/p, PSN   | X1.2.66       | ACTS-CATL-T1-1/98-051 15 |
| Turanza W/Serenity           | 1     | a/s, a/p, PSN   | X1.2.67       | ACTS-CATL-T1-1/98-051    |
| CI ASSIEIED*                 |       | -               | TECHNOLOGY DR | VEN. WARFIGHTER FOCUSED. |





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (April 09 - PRESENT)

| Bridgestone CATL (Deletions) |       |                 |            |                                     |
|------------------------------|-------|-----------------|------------|-------------------------------------|
| MODEL/BRAND NAME BY          | TIRE  |                 | GOVERNMENT |                                     |
| BRAND OWNER                  | GROUP | CLASS & CODE(S) | ITEM NO.   | TEST REFERENCE NO.                  |
| S402                         | 1     | a/s, AP, PS     | X1.2.2     | ACTS-CATL-T1-1/98-051               |
| Blizzak WS-15                | 1     | s/t, AP, PS     | X1.2.3     | ACTS-CATL-T1-1/98-051               |
| Potenza RE900                | 1     | a/s, AP, PS     | X1.2.6     | ACTS-CATL-T1-1/98-051               |
| Eager                        | 1     | a/s, AP, PS     | X1.2.13    | ACTS-CATL-T1-1/98-051               |
| Turanza Z                    | 1     | a/s, AP, PS     | X1.2.14    | ACTS-CATL-T1-1/98-051               |
| Turanza V                    | 1     | a/s, AP, PS     | X1.2.15    | ACTS-CATL-T1-1/98-051               |
| Turanza H                    | 1     | a/s, AP, PS     | X1.2.16    | ACTS-CATL-T1-1/98-051               |
| Turanza T                    | 1     | a/s, AP, PS     | X1.2.17    | ACTS-CATL-T1-1/98-051               |
| 401V                         | 1     | r/t, AP, PS     | X1.2.22    | ACTS-CATL-T1-1/98-051               |
| S411                         | 1     | a/s, AP, PS     | X1.2.27    | ACTS-CATL-T1-1/98-051               |
| S413Z                        | 1     | a/s, AP, PS     | X1.2.28    | ACTS-CATL-T1-1/98-051               |
| BT70S                        | 1     | a/s, AP, PS     | X1.2.41    | ACTS-CATL-T1-1/98-051               |
| G009                         | 1     | a/s, AP, PS     | X1.2.47    | ACTS-CATL-T1-1/98-051               |
| Firestone CATL (Additions)   |       |                 |            |                                     |
| MODEL/BRAND NAME BY          | TIRE  |                 | GOVERNMENT |                                     |
| BRAND OWNER                  | GROUP | CLASS & CODE(S) | ITEM NO.   | TEST REFERENCE NO.                  |
| FR380                        | 1     | A/S, AP, PS     | X1.2.52    | ACTS-CATL-T1-1/98-051               |
| FR690                        | 1     | A/S, AP, PS     | X1.2.53    | ACTS-CATL-T1-1/98-051               |
| FR710                        | 1     | A/S, AP, PS     | X1.2.54    | ACTS-CATL-T1-1/98-051 <sub>16</sub> |
| Winter Force                 | 1     | s/t, STC, PS    | X1.2.55    | ACTS-CATL-T1-1/98-051               |

\*UNCLASSIFIED\*

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 - PRESENT)

Bridgestone CATL (Deletions)

| MODEL/BRAND NAME BY<br>BRAND OWNER | TIRE<br>GROUP | CLASS & CODE(S) | GOVERNMENT<br>ITEM NO. | TEST REFERENCE NO.      |
|------------------------------------|---------------|-----------------|------------------------|-------------------------|
| FireHawk FTX                       | 1             | a/s, AP, PS     | X1.2.19                | ACTS-CATL-T1-1/98-051   |
| Supreme                            | 1             | a/s, AP, PS     | X1.2.12                | ACTS-CATL-T1-1/98-051   |
| FR22                               | 1             | a/s, AP, PS     | X1.2.21                | ACTS-CATL-T1-1/98-051   |
| F-560                              | 1             | s/t, AP, PS     | X1.2.22                | ACTS-CATL-T1-1/98-051   |
| FireHawk Touring LH                | 1             | a/s, AP, PS     | X1.2.31                | ACTS-CATL-T1-1/98-051   |
| FireHawk SZ50                      | 1             | r/t, AP, PS     | X1.2.32                | ACTS-CATL-T1-1/98-051   |
| FireHawk SVX                       | 1             | r/t, AP, PS     | X1.2.33                | ACTS-CATL-T1-1/98-051   |
| Winter Fire                        | 1             | a/s, AP, PS     | X1.2.36                | ACTS-CATL-T1-1/98-051   |
| FT70C                              | 1             | a/s, AP, PS     | X1.2.37                | ACTS-CATL-T1-1/98-051   |
| FireHawk SH30                      | 1             | a/s, AP, PS     | X1.2.38                | ACTS-CATL-T1-1/98-051   |
| Supreme Si                         | 1             | a/s, r/t, m/s   | X1.2.39                | ACTS-CATL-T1-1/98-051   |
| Affinity LH30                      | 1             | a/s, AP, PS     | X1.2.43                | ACTS-CATL-T1-1/98-05117 |

<sup>\*</sup>UNCLASSIFIED\*





#### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 – PRESENT)

Bridgestone CATL (Deletions)

| MODEL/BRAND   | TIRE<br>GROUP         | CLASS & CODE(S)  | GOVERNMENT ITEM NO.                                 | TEST REFERENCE NO.  |
|---|-----------------------|--|---|---|
| Firestone/ Winter Force   | 1                     | s/t, STC, PS   | X1.2.56   | ACTS-CATL-T1-1/98-051   |
| Blizzak DM-V1   | 1                     | s/t, STC, PS   | X1.2.57   | ACTS-CATL-T1-1/98-051   |
| Blizzak LM-18   | 1                     | s/t, STC, PS   | X1.2.58   | ACTS-CATL-T1-1/98-051   |
| Blizzak LM-22   | 1                     | s/t, STC, PS   | X1.2.59   | ACTS-CATL-T1-1/98-051   |
| Blizzak LM-25   | 2                     | s/t, STC, PS   | X2.2.55   | ACTS-CATL-T1-1/98-050   |
| Blizzak LM-60   | 2                     | s/t, STC, PS   | X2.2.56   | ACTS-CATL-T1-1/98-050   |
| Blizzak W965  | 2                     | s/t, STC, PS   | X2.2.57   | ACTS-CATL-T1-1/98-050   |
| Winter Dueler DMZ2  | 2                     | s/t, STC, PS   | X2.2.58   | ACTS-CATL-T1-1/98-050   |
| Blizzak WS60  | 1                     | s/t, STC, PS   | X1.2.60   | ACTS-CATL-T1-1/98-051 18  |
| Blizzak LM-22 Blizzak LM-25 Blizzak LM-60 Blizzak W965 Winter Dueler DMZ2 | 1<br>2<br>2<br>2<br>2 | s/t, STC, PS | X1.2.59<br>X2.2.55<br>X2.2.56<br>X2.2.57<br>X2.2.58 | ACTS-CATL-T1-1/98-051 ACTS-CATL-T1-1/98-050 ACTS-CATL-T1-1/98-050 ACTS-CATL-T1-1/98-050 ACTS-CATL-T1-1/98-050 |





#### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 – PRESENT)

GENERAL TIRE CATL 1922 (Additions)

| Model/Brand | Tire Grou | p Class       | Codes       | GOVERNMENT ITEM NO. | TEST REFERENCE NO. |
|-------------|-----------|---------------|-------------|---------------------|--------------------|
| D450        | 3         | d/a (lug)     | SS, DA, STC | X3.5.26RA           | ACTS-CATL-1/98-029 |
| D460        | 3         | d/a (lug)     | SS, DA      | X3.5.27RA           | ACTS-CATL-1/98-029 |
| D660        | 3         | d/a (lug)     | SS, DA, STC | X3.5.73RA           | ACTS-CATL-1/98-029 |
| ST250       | 3         | t/o (rib)     | SS, TO      | X3.5.74RA           | ACTS-CATL-1/98-029 |
| ST250 LP    | 3         | t/o (rib)     | SS, LP, TO  | X3.5.75RA           | ACTS-CATL-1/98-029 |
| S360        | 3         | r/t (rib)     | SS, AP      | X3.5.76RA/RB        | ACTS-CATL-1/98-029 |
|             |           |               |             |                     |                    |
| D445        | 3         | d/a (lug)     | SS, DA      | X3.5.77RA/RB        | ACTS-CATL-1/98-029 |
| MS520       | 3         | r/t, o/o (rib | ) SS, AP    | X3.5.78RA           | ACTS-CATL-1/98-029 |
| S371        | 3         | r/t (rib)     | SS, AP      | X3.5.79RA           | ACTS-CATL-1/98-029 |
| S581        | 3         | r/t (rib)     | SS, AP      | X3.5.80RA           | ACTS-CATL-1/98-029 |

<sup>19</sup> 





#### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 - PRESENT)

**GENERAL TIRE CATL 1922 (Deletions)** 

|                  |            |                |               | GOVERNMENT ITEM |                    |
|------------------|------------|----------------|---------------|-----------------|--------------------|
| Model/Brand      | Tire Group | Class          | Codes         | NO.             | TEST REFERENCE NO. |
| Ameri*Steel      | 3          | r/t (rib)      | SS, AP        | X3.5.7RA/RB     | ACTS-CATL-1/98-029 |
| Ameri*Lug        | 3          | d/a (lug)      | SS, DA        | X3.5.8RA/RB     | ACTS-CATL-1/98-029 |
| Ameri*Lug MS     | 3          | d/a (lug)      | SS, DA, STC   | X3.5.9RA/RB     | ACTS-CATL-1/98-029 |
| Ameri*LP 70      | 3          | r/t (rib)      | SS, AP        | X3.5.10RA       | ACTS-CATL-1/98-029 |
| Ameri*MSL        | 3          | o/o (rib)      | SS, DA, STC   | X3.5.11RA/RB    | ACTS-CATL-1/98-029 |
| Ameri*Lug DT     | 3          | o/o (lug)      | SS, DA, STC   | X3.5.12RA/RB    | ACTS-CATL-1/98-029 |
| Ameri*Lug DT WHS | 3          | o/o (lug)      | SS/N, DA, STC | X3.5.13RA/RB    | ACTS-CATL-1/98-029 |
| Ameri*SD 400     | 3          | r/t (rib)      | SS, AP        | X3.519RA        | ACTS-CATL-1/98-029 |
| Ameri*Steel LPT  | 3          | r/t (rib)      | SS, TO        | X3.5.20RA/RB    | ACTS-CATL-1/98-029 |
| S370             | 3          | r/t (rib)      | SS, AP        | X3.5.24RA       | ACTS-CATL-1/98-029 |
| S380 AS          | 3          | r/t (rib)      | SS, AP        | X3.5.25RA       | ACTS-CATL-1/98-029 |
| Rib ST           | 3          | t/o (rib)      | SS, TO        | X3.5.50RA/RB    | ACTS-CATL-1/98-029 |
| LMT 400          | 3          | r/t, a/s (rib) | SS, AP        | X3.5.51RA/RB    | ACTS-CATL-1/98-029 |
|                  |            | a/t, a/s, o/o  |               |                 |                    |
| LMT 460          | 3          | (rib)          | SS, AP        | X3.5.52RA/RB    | ACTS-CATL-1/98-029 |
| S380A            | 3          | r/t (rib)      | SS, AP        | X3.5.63RA       | ACTS-CATL-1/98-029 |
|                  |            | r/t, a/s, o/o  |               |                 |                    |
| LMT 450          | 3          | (rib)          | SS, DA        | X3.5.71RA/RB    | ACTS-CATL-1/98-029 |
| S580             | 3          | r/t (rib)      | SS, AP        | X3.5.72RA       | ACTS-CATL-1/98-029 |
|                  |            |                |               |                 |                    |

<sup>20</sup> 





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 - PRESENT)

CONTINENTAL TIRE CATL 1922 (Additions)

| Model/Brand  | Tire Group | Class      | Codes       | GOVERNMENT ITEM NO. | TEST REFERENCE NO. |
|--------------|------------|------------|-------------|---------------------|--------------------|
| HSR          | 3          | r/t (rib)  | SS, AP      | X3.5.53RA           | ACTS-CATL-1/98-029 |
| HDL          | 3          | d/a (lug)  | SS, DA, STC | X3.5.54RA           | ACTS-CATL-1/98-029 |
| HTR          | 3          | r/t (rib)  | SS, AP      | X3.5.56RA/RB        | ACTS-CATL-1/98-029 |
| HTC          | 3          | o/o (lug)  | SS, AP      | X3.5.57RA           | ACTS-CATL-1/98-029 |
| HSC          | 3          | o/o (lug)  | SS, AP      | X3.5.58RA/RB        | ACTS-CATL-1/98-029 |
| HMS 45+      | 3          | o/o (lug)  | SS, AP      | X3.5.59RA           | ACTS-CATL-1/98-029 |
| HSR1         | 3          | r/t (rib)  | SS, AP      | X3.5.60RA           | ACTS-CATL-1/98-029 |
| HDC          | 3          | r/t (rib)  | SS, AP      | X3.5.61RA           | ACTS-CATL-1/98-029 |
|              |            | d/a (drive |             |                     |                    |
| HDR          | 3          | axle, lug) | SS, DA      | X3.5.62RA           | ACTS-CATL-1/98-029 |
| HSL Eco Plus | 3          | r/t (rib)  | SS, AP      | X3.5.64RA           | ACTS-CATL-1/98-029 |
| HDL Eco Plus | 3          | d/a (lug)  | SS, DA      | X3.5.65RA           | ACTS-CATL-1/98-029 |
| LSR          | 3          | r/t (rib)  | SS, AP      | X3.5.67RA           | ACTS-CATL-1/98-029 |
| HDO          | 3          | d/a (lug)  | SS, DA, STC | X3.5.68RA           | ACTS-CATL-1/98-029 |
| HSU          | 3          | o/o (lug)  | SS, AP      | X3.5.69RA           | ACTS-CATL-1/98-029 |
| HTR1         | 3          | t/o (rib)  | SS, TO      | X3.5.70RA           | ACTS-CATL-1/98-029 |
| HSL2         | 3          | r/t (rib)  | SS, AP      | X3.5.81RA           | ACTS-CATL-1/98-029 |
| HSR2         | 3          | r/t (rib)  | SS, AP      | X3.5.82RA           | ACTS-CATL-1/98-029 |
| HDL2 DL      | 3          | d/a (lug)  | SS, DA      | X3.5.83RA           | ACTS-CATL-1/98-029 |
|              |            | d/a (drive |             |                     |                    |
| HDR2         | 3          | axle, lug) | SS, DA      | X3.5.84RA           | ACTS-CATL-1/98-029 |
| HSU2         | 3          | o/o (lug)  | SS, AP      | X3.5.85RA           | ACTS-CATL-1/98-029 |
| HTL Eco Plus | 3          | t/o (rib)  | SS, TO      | X3.5.96RA           | ACTS-CATL-1/98-029 |
| HTR2         | 3          | r/t (rib)  | SS, AP      | X3.5.97RA           | ACTS-CATL-1/98-029 |
| HTC1         | 3          | o/o (lug)  | SS, AP      | X3.5.98RA           | ACTS-CATL-1/98-029 |
| LSR1         | 3          | r/t (rib)  | SS, AP      | X3.5.99RA           | ACTS-CATL-1/98-029 |
| LDR1         | 3          | d/a (lug)  | SS, DA      | X3.5.100RA          | ACTS-CATL-1/98-029 |
| HTL1         | 3          | t/o (rib)  | SS, TO      | X3.5.101RA          | ACTS-CATL-1/98-029 |
| HDR1         | 3          | d/a (lug)  | SS, DA, STC | X3.5.102RA          | ACTS-CATL-1/98-029 |

21





### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 - PRESENT)

CONTINENTAL TIRE CATL 1922 (Deletions)

|             |            |           |        | <b>GOVERNMENT ITEM</b> |                    |
|-------------|------------|-----------|--------|------------------------|--------------------|
| Model/Brand | Tire Group | Class     | Codes  | NO.                    | TEST REFERENCE NO. |
| HS 41       | 3          | r/t (rib) | SS, AP | X3.5.28RA/RB           | ACTS-CATL-1/98-029 |
| HC 51       | 3          | o/o (rib) | SS, AP | X3.5.29RA/RB           | ACTS-CATL-1/98-029 |
| HC 53       | 3          | o/o (rib) | SS, AP | X3.5.30RA/RB           | ACTS-CATL-1/98-029 |
| HS 62       | 3          | t/o (rib) | SS, TO | X3.5.31RA/RB           | ACTS-CATL-1/98-029 |
| HS 65       | 3          | r/t (rib) | SS, AP | X3.5.32RA/RB           | ACTS-CATL-1/98-029 |
| RS 415 N    | 3          | r/t (rib) | SS, AP | X3.5.35RA/RB           | ACTS-CATL-1/98-029 |
| RS 416      | 3          | r/t (rib) | SS, AP | X3.5.37RA/RB           | ACTS-CATL-1/98-029 |
| RS 415      | 3          | r/t (rib) | SS, AP | X3.5.38RA/RB           | ACTS-CATL-1/98-029 |
| HD 70       | 3          | d/a (lug) | SS, DA | X3.5.39RA/RB           | ACTS-CATL-1/98-029 |
| HD 75       | 3          | d/a (lug) | SS, DA | X3.5.40RA/RB           | ACTS-CATL-1/98-029 |
| HMS 45      | 3          | o/o (rib) | SS, AP | X3.5.46RA/RB           | ACTS-CATL-1/98-029 |
| HT 63       | 3          | r/t (rib) | SS, AP | X3.5.47RA/RB           | ACTS-CATL-1/98-029 |
| HC 65       | 3          | o/o (lug) | SS, AP | X3.5.48RA/RB           | ACTS-CATL-1/98-029 |
| HS 45       | 3          | r/t (rib) | SS, AP | X3.5.49RA/RB           | ACTS-CATL-1/98-029 |
| HSL         | 3          | r/t (rib) | SS, AP | X3.5.55RA/RB           | ACTS-CATL-1/98-029 |
| HTL         | 3          | t/o (rib) | SS, TO | X3.5.66RA              | ACTS-CATL-1/98-029 |

<sup>22</sup> 



MODEL/BRAND NAME

### CATL 1922 CHANGES (CONT'D)



#### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 - PRESENT)

CLASS &

**GOVERNMENT** 

|        | BY BRAND OWNER                         | TIRE GROUP | CODE(S)                | ITEM NO.              | TEST REFERENCE NO.         |
|--------|--|------------|------------------------|-----------------------|----------------------------|
| ADD    | Goodyear Brands –<br>Unisteel G622 RSD | 3          | d/a (lug) SS,DA<br>STC | X3.6.41.RA/RB         | ACTS-CATLT1-1/98-017       |
| ADD    | Goodyear Brands –<br>Unisteel 661 HAS  | 3          | r/t (rib) SS, AP       | X3.6.39.RA/RB         | ACTS-CATLT1-1/98-017       |
|        | MODEL/BRAND NAME<br>BY BRAND OWNER     | TIRE GROUP | CLASS & CODE(S)        | GOVERNMEN<br>ITEM NO. | IT TEST REFERENCE<br>NO.   |
| DELETE | Goodyear Brands –<br>Unisteel G164 RTD | 3          | d/a (lug) SS,DA STC    | X3.6.41.RA/R          | ACTS-CATLT1-1/98-<br>B 017 |





#### CATL 1922 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 - PRESENT)

**MICHELIN NA PEHS CATL 1922 (Additions)** 

GOVERNMENT MODEL/BRAND

ITEM NO. DESIGNATION CLASS CODES QUALIFIED SIZES

X1.9.77P "Pilot HX MXM4" a/s (rib) AP, PEHS, PS, SR-98W 235/55ZR17

**BF GOODRICH BRANDS PEHS CATL 1922 (Additions)** 

GOVERNMENT MODEL/BRAND

ITEM NO. DESIGNATION CLASS CODES QUALIFIED SIZES

X1.9.74P "BF Goodrich Advantage T/A" a/s (rib) AP, PEHS, PS, SR-98V 225/60R16





#### CATL 1923 ADDS/DELETES BY QUALIFICATION EXTENSION (APRIL 09 - PRESENT)

Titan purchasing Continental's Bryan Ohio Facility and the conversion of Continental Radial and General's Bias Ply OTR tires to Titan Brand. In addition to those changes these tires were added by qualification extension.

|                                 |               | İ                  | i                   |                      |
|---------------------------------|---------------|--------------------|---------------------|----------------------|
| MODEL/BRAND NAME BY BRAND OWNER | TIRE<br>GROUP | CLASS &<br>CODE(S) | GOVERNMENT ITEM NO. | TEST REFERENCE NO.   |
| TGD2                            | 2             | E/L                | X2.10.74RA/RB       | ACTS-CATL-TOR-03-02  |
| TGS2                            | 2             | TG                 | X2.10.75RA/RB       | ACTS-CATL-TOR-03-02  |
| STL3                            | 2             | E/L                | X2.10.76RA/RB       | ACTS-CATL-TOR-03-02  |
| STL2+                           | 2             | E/L                | X2.10.77RA/RB       | ACTS-CATL-TOR-03-02  |
| DTE4                            | 2             | Е                  | X2.10.78RA/RB       | ACTS-CATL-TOR-03-02  |
| CH-150                          | 2             | E/L                | X2.10.33BA          | ACTS-CATL-TOR-02-012 |
| QUARRY SPECIAL CM-150           | 2             | Е                  | X2.10.34BA          | ACTS-CATL-TOR-02-012 |
| SUPER SMOOTH (ALL MODELS)       | 2             | L                  | X2.10.69BA          | ACTS-CATL-TOR-02-012 |
| LIFT RIGGER II                  | 3             | L/G                | X3.10.3BA/BB        | ACTS-CATL-TOR-04-03  |
| SUPER GRADER                    | 3             | TG                 | X3.10.4BA/BB        | ACTS-CATL-TOR-04-03  |
| SUPER RIGGER II                 | 3             | G/L                | X3.10.5BA/BB        | ACTS-CATL-TOR-04-03  |
| MCS                             | 2             | Е                  | X2.10.36BA          | ACTS-CATL-TOR-02-012 |





# Question?